


WAVENET CABLE PRODUCT LINE CARD

ONE MANUFACTURER. MANY SOLUTIONS.



WAVENET All Around Us Cable Solutions For Residential



**CALIFORNIA
CORPORATE
WAREHOUSE**
Carson

**TEXAS
WAREHOUSE**
The Colony

**NEW JERSEY
WAREHOUSE**
Ridgefield

**CANADA
WAREHOUSE**
Toronto / Vancouver




CONTACT US FOR MORE DETAILS TOLL FREE. 888.492.8363

CATEGORY CABLES

CAT6A 10G U/UTP (UNSHIELDED), F/UTP (SHIELDED) RISER (CMR), PLENUM (CMP)

- **Part No. 6A04URXX3 (RISER, U/UTP)**
Available colors: WH, GY, BL, GN, YL, RD, BK
- **Part No. 6A04UPXX3 (PLENUM, U/UTP)**
Available colors: WH, GY, BL, GN, YL, BK
- **Part No. 6A04FRXX3 (RISER, F/UTP)**
Available colors: WH, GY, BL, RD, YL, BK
- **Part No. 6A04FPXX3 (PLENUM, F/UTP)**
Available colors: WH, BL



- Ideal for 10GbE horizontal distribution & backbone cabling
- 23 AWG solid bare copper conductors
- 4 Unshielded / Shielded Twisted Pair
- Performance up to 750MHz



CAT6A 10G U/UTP (UNSHIELDED) (CMX) UV RATED OUTDOOR

- **Part No. 6A04CMXXBK2 (CMX, U/UTP)**
Available color: BK


- Ideal for 10GbE horizontal distribution & backbone cabling
- 23 AWG solid bare copper conductors
- 4 Unshielded Twisted Pair
- Performance up to 750MHz
- PE Jacket / UV Rated



CAT6 600MHz U/UTP (UNSHIELDED) RISER (CMR), PLENUM (CMP) WITH SPLINE

- **Part No. 6E04URXX3N (RISER, U/UTP)**
Available colors: WH, GY, BL, GN, YL, RD, PR, BK
- **Part No. 6E04URXX4N (RISER, U/UTP)**
Available colors: WH, GY, BL, GN, YL, OR, RD, PR, BK
- **Part No. 6E04UPXX3N (PLENUM, U/UTP)**
Available colors: WH, GY, BL, RD, PR
- **Part No. 6E04UPXX4N (PLENUM, U/UTP)**
Available colors: WH, GY, BL, GN, YL, OR, RD, PR, BK



- High performance data cable
- 23 AWG solid bare copper conductors
- 4 Unshielded Twisted Pair
- Performance up to 600MHz



CAT6 550MHz U/UTP (UNSHIELDED) RISER (CMR), PLENUM (CMP) WITHOUT SPLINE

- **Part No. 6E04URSPLSXX4N (RISER, U/UTP)**
Available colors: WH, GY, BL, GN, YL, OR, RD, PR, BK
- **Part No. 6E04UPSPLSXX4N (PLENUM, U/UTP)**
Available colors: WH, GY, BL, GN, YL, OR, RD, PR, BK


- High performance data cable
- 23 AWG solid bare copper conductors
- 4 Unshielded Twisted Pair
- Performance up to 550MHz



CAT6 600MHz F/UTP (SHIELDED) RISER (CMR), PLENUM (CMP)

- **Part No. 6E04SRXX2N (RISER, F/UTP)**
Available colors: WH, GY, BL, GN, YL, RD, PR, BK
- **Part No. 6E04FPXX2N (PLENUM, F/UTP)**
Available colors: WH, GY, BL


- Enhances RFI and EMI protections
- 23 AWG solid bare copper conductors
- 4 Shielded Foiled Twisted Pair
- Performance up to 600MHz



CAT6 600MHz U/UTP (UNSHIELDED), F/UTP (SHIELDED) UV RATED DIRECT BURIAL OUTDOOR

- **Part No. 6E0SPBK2N (PE, WATERBLOCK TAPE)**
Available color: BK
- **Part No. 6E0SPGBK2N (PE, GEL FILLED)**
Available color: BK
- **Part No. 6ESOSPBK2N (PE, F/UTP)**
Available color: BK



- Protects against outdoor environmental elements
- 23 AWG solid bare copper conductors
- 4 Unshielded / Shielded Twisted Pair
- PE jacket / UV Rated (Shielded Outdoor)
- Performance up to 600MHz



CAT5E 350MHz U/UTP (UNSHIELDED) RISER (CMR), PLENUM (CMP)

- **Part No. 5E04URXX4 (RISER, U/UTP)**
Available colors: WH, GY, BL, GN, YL, RD, PK, PR, BK
- **Part No. 5E04URXX5 (RISER, U/UTP)**
Available colors: WH, GY, BL, GN, YL, RD, PR, BK
- **Part No. 5E04UPXX4 (PLENUM, U/UTP)**
Available colors: WH, GY, BL, GN, YL, OR, BK

- High performance data cable
- 24 AWG solid bare copper conductors
- 4 Unshielded Twisted Pair
- Performance up to 350MHz



CAT5E 350MHz F/UTP (SHIELDED) RISER (CMR), PLENUM (CMP)


- **Part No. 5E04SRXX4 (RISER, F/UTP)**

Available colors: WH, GY, BL, YL, RD, BK

- **Part No. 5E04FPXX3 (PLENUM, F/UTP)**

Available colors: WH, BL

- 24 AWG solid bare copper conductors
- 4 Foiled twisted pair
- Performance up to 350MHz



CAT5E 350MHz U/UTP (UNSHIELDED), F/UTP (SHIELDED) UV RATED DIRECT BURIAL OUTDOOR

- **Part No. 5E0SPBK2 (PE, WATERBLOCK TAPE)**

Available color: BK



- **Part No. 5E0SPGBK2 (PE, GEL FILLED)**

Available color: BK

- **Part No. 5ES0SPBK2 (PE, F/UTP)**

Available color: BK

- Gel-filled or Water-block tape prevents moisture
- 24 AWG solid bare copper conductors
- 4 Unshielded / Shielded Twisted Pair
- PE jacket / UV Rated
- Performance up to 350MHz



CAT5E/3 350MHz U/UTP (UNSHIELDED) RISER (CMR) 24AWG 25-PAIR



- **Part No. 5E25URGY2 (RISER, U/UTP)**

Available color: GY

- **Part No. 3-25URGY2 (RISER, U/UTP)**

Available color: GY

- High performance multi-pair data and voice installations
- 24 AWG solid bare copper conductors
- 25 Unshielded twisted pair
- Performance up to 350MHz for CAT5E and 16MHz for CAT3



COAXIAL / COMBINATION CABLES

RG-6 60% DUAL SHIELD (CCS/BC) RISER (CMR), PLENUM (CMP)

- **Part No. RG6URXX4 (RISER, CCS)**

Available colors: WH, BK

- **Part No. RG6URXX4-500 (RISER, CCS)**

Available colors: WH, BK

- **Part No. RG6URXX4-BC (RISER, BC)**

Available colors: WH, BK

- **Part No. RG6URXX2 (RISER, CCS)**

Available colors: WH, BK


- **Part No. RG6URWH2-DBC-500 (RISER, BC)**

Available color: WH

- **Part No. RG6UPWH4 (PLENUM, CCS)**

Available color: WH

- Suitable for broadband networks, CCTV, CATV / SAT and other video installations
- 18 AWG bare copper (BC) or copper clad steel (CCS) center conductor
- Dual shield 3.0GHz coaxial cable




RG-6 60% DUAL SHIELD DIRECT BURIAL OUTDOOR

- **Part No. RG6OSPBK2 (PE, CCS)**

Available color: BK

- Suitable for broadband networks, CCTV, CATV / SAT and other video installations
- 18 AWG copper clad steel (CCS) center conductor
- Dual shield 3.0GHz coaxial cable



RG-6 QUAD SHIELD (CCS/BC) RISER (CMR), PLENUM (CMP)

- **Part No. RG6QRXX4 (RISER, CCS)**

Available colors: WH, BK

- **Part No. RG6QRXX4-500 (RISER, CCS)**

Available colors: WH, BK

- **Part No. RG6QRXX4-BC (RISER, BC)**

Available colors: WH, BK

- **Part No. RG6QRXX3 (RISER, CCS)**

Available colors: WH, BK

- **Part No. RG6QRXX2 (RISER, CCS)**

Available colors: WH, BK

- **Part No. RG6QRXX2-500SM (RISER, CCS)**

Available color: WH, BK


- **Part No. RG6QPWH4 (PLENUM, CCS)**

Available color: WH

- **Part No. RG6QPWH4-BC (PLENUM, BC)**

Available color: WH


- Suitable for broadband networks, CCTV, CATV / SAT and other video installations
- 18 AWG bare copper (BC) or copper clad steel (CCS) center conductor
- Quad shield 3.0GHz coaxial cable



RG-6 QUAD SHIELD DIRECT BURIAL OUTDOOR

- **Part No. RG6QOSPBK2 (PE, CCS)**
Available color: BK


- Suitable for broadband networks, CCTV, CATV / SAT and other video installations
- 18 AWG solid copper clad steel (CCS) center conductor
- High-grade RG6 UV rated outdoor direct burial coaxial cable
- Quad shield 3.0GHz coaxial cable



RG-59 95% RISER (CMR), PLENUM (CMP)

- **Part No. RG59RXX4 (RISER, BC)**
Available colors: WH, BK
- **Part No. RG59PWH4 (PLENUM, BC)**
Available color: WH




- Suitable for broadband networks, CCTV, CATV / SAT and other video installations
- c(ETL) Listed
- UL444 (Mechanical Properties only)
- TIA-568-C.2
- RoHS Compliant



RG-11 QUAD/60% DUAL SHIELD RISER (CMR), PLENUM (CMP)

- **Part No. RG11RBK2 (RISER, CCS)**
Available colors: BK
- **Part No. RG11PWH2 (PLENUM, CCS)**
Available color: WH
- **Part No. RG11QRBK2 (RISER, CCS)**
Available color: BK


- Suitable for CATV, MATV and other video broadcast installations
- 14 AWG copper clad steel (CCS) center conductor
- Dual shield 3.0GHz coaxial cable
- 75 Ohm impedance
- Aluminum braided shield




COMBINATION

- **Part No. H26E26QMGN2-500 [(2) CAT6 + (2) RG-6 QUAD]**
Available color: GN
- **Part No. H16E16QMBL2-500 [(1) CAT6 + (1) RG-6 QUAD]**
Available color: BL
- **Part No. H16E16MYL3-500 [(1) CAT6 + (1) AUDIO 16/4]**
Available color: YL


- RG-6 Quad Shield Cable is suitable for broadband, CCTV, CATV/SAT, and other video installations
- 18 AWG copper clad steel (CCS) center conductor
- 16/4 Audio (Speaker) Cable
- CAT6 High performance data cable
- 23 AWG solid bare copper conductors with spline (CAT6, CMR)




(2) CAT6 + (2) RG-6 QUAD



(1) CAT6 + (1) RG-6 QUAD



(1) CAT6 + (1) AUDIO 16/4





AUDIO / SECURITY CABLES

SECURITY

22AWG 2/4 CONDUCTORS SOLID COPPER RISER

- **Part No. SC2202RXX1 (RISER)**
Available colors: WH, GY
- **Part No. SC2202RWH-500 (RISER)**
Available colors: WH
- **Part No. SC2204RXX1 (RISER)**
Available colors: WH, GY
- **Part No. SC2204RXX-500 (RISER)**
Available colors: WH, GY



22AWG 2/4 CONDUCTORS STRANDED COPPER RISER


- **Part No. SC2202RXX1-S (RISER)**
Available colors: WH, GY
- **Part No. SC2202RWH-500-S (RISER)**
Available color: WH
- **Part No. SC2204RXX1-S (RISER)**
Available colors: WH, GY
- **Part No. SC2204RWH-500-S (RISER)**
Available color: WH



22AWG 6 CONDUCTORS STRANDED SHIELDED RISER

- **Part No. SC2206SRWH1-S (RISER)**
Available color: WH




- For use as alarm, automation key pads, motion detectors, security contacts or control circuits
- 22 AWG stranded or solid bare copper with 2,4,6 conductors



AUDIO

16AWG 2/4 CONDUCTORS

- Part No. AC1602UPBK4-500 (PLENUM, Available color: BK)
- Part No. AC1604UPBK4-500 (PLENUM, Available color: BK)
- Part No. AC1602RXX4-500 (RISER, Available colors: WH, BK)
- Part No. AC1602OSPBK4-500 (RISER, Available color: BK)
- Part No. AC1602HFXMXX4-500 (RISER, Available colors: WH, BK)
- Part No. AC1604RXX4-500 (RISER, Available colors: WH, BK)
- Part No. AC1604OSPBK4-500 (RISER, Available color: BK)
- Part No. AC1604HFXMXX4-500 (RISER, Available colors: WH, BK)



14AWG 2/4 CONDUCTORS

- Part No. AC1402RXX4-500 (RISER, Available colors: WH, BK)
- Part No. AC1402OSPBK4-500 (RISER, Available color: BK)
- Part No. AC1402HFXMXX4-500 (RISER, Available colors: WH, BK)
- Part No. AC1404RXX3-500 (RISER, Available colors: WH, BK)
- Part No. AC1404OSPBK3-500 (RISER, Available color: BK)
- Part No. AC1404HFXMBK3-500 (RISER, Available colors: BK)
- Part No. AC1404HFXMWH4-500 (RISER, Available colors: WH)

12AWG 2 CONDUCTORS

- Part No. AC1202RWH4-500 (RISER, Available color: WH)

- Ideal for high-end commercial or residential in-wall rated audio (speaker) installations
- 12, 14 & 16 AWG with 2 or 4 insulated conductors made with Stranded Oxygen Free Copper
- High strand count for premium performance and optimum sound quality

*Optional : Glossy PVC jacket is available

CONTROL CABLES






CONTROL SHIELDED AND UNSHIELDED

16AWG 2CONDUCTORS

- Part No. CC1602URGY4 (RISER, UNSHIELDED)
Available color: GY
- Part No. CC1602SRGY4 (RISER, SHIELDED)
Available color: GY
- Part No. CC1602UPWH4 (PLENUM, UNSHIELDED)
Available color: WH
- Part No. CC1602FPWH4 (PLENUM, SHIELDED)
Available color: WH

18AWG 2/4/6 CONDUCTORS

- Part No. CC1802URXX4 (RISER, UNSHIELDED)
Available colors: WH, GY
- Part No. CC1802URWH4-500 (RISER, UNSHIELDED)
Available color: WH
- Part No. CC1802SRXX4 (RISER, SHIELDED)
Available colors: WH, GY
- Part No. CC1802UPWH4 (PLENUM, UNSHIELDED)
Available colors: WH
- Part No. CC1802FPWH4 (PLENUM, SHIELDED)
Available colors: WH
- Part No. CC1804URGY4 (RISER, UNSHIELDED)
Available color: GY
- Part No. CC1804SRGY4 (RISER, SHIELDED)
Available color: GY
- Part No. CC1804UPWH4 (PLENUM, UNSHIELDED)
Available color: WH
- Part No. CC1804FPWH4 (PLENUM, SHIELDED)
Available color: WH





- Part No. CC1806URGY2 (RISER, UNSHIELDED)
Available color: GY
- Part No. CC1806SRGY2 (RISER, SHIELDED)
Available color: GY
- Part No. CC1806UPWH2 (PLENUM, UNSHIELDED)
Available color: WH
- Part No. CC1806FPWH2 (PLENUM, SHIELDED)
Available color: WH

- Power limited control circuits for security, audio and background music
- Suitable for smoke detectors, burglar alarms, addressable fire alarm systems, and other low-voltage security or audio applications
- 16, 18 & 22 AWG with 2, 4, or 6 conductors

ACCESS CONTROL SHIELDED PLENUM (CMP)

- **Part No. CCACESSUPWH2 (PLENUM)**
Available color: WH
- **Part No. CCACESSUPWH2-500 (PLENUM)**
Available color: WH
- **Part No. CCACESSUPYL2 (PLENUM)**
Available color: YL
- **Part No. CCACESSUPYL2-500 (PLENUM)**
Available color: YL

- Access Control, Power Lock, Card Reader, Door Contact and Rex/Spare (Request to Exit)
- 18 / 22 AWG with 2C, 4C & 6C conductors
- Shielded (Plenum)



Access Control Individual Cables are as follows

Reader Cable (Orange)	22AWG/6C used for barcode, magnetic strips, computer chips or biometrics
Door Contact Cable (WHITE)	22AWG/2C utilized to open/close the door contacts
Locking Power Cable (Gray)	18AWG/4C is used for the electronic locking device
REX (Request to Exit) Cable (Blue)	22AWG/4C is used for the electronic push button or motion detection to allow egress



COMPOSITE / NON ETL CABLES

RG-59 95% COAX SIAMESE + 18/2 RISER (CMR), PLENUM (CMP)

- **Part No. H59+182JRXX3-500 (RISER)**

RG-59 / CCS + 18/2 BC

Available colors: BK, WH

- **Part No. H59+182JRXX2 (RISER)**

RG-59 / CCS + 18/2 BC

Available colors: BK, WH

- **Part No. H59+182BCRXX3-500 (RISER)**

RG-59 / BC + 18/2 BC

Available colors: BK, WH

- **Part No. H59+182PWH3-500 (PLENUM)**


RG-59 / BC + 18/2 BC

Available color: WH

- **Part No. H6+182JRBK2 (RISER)**

RG-6 / CCS + 18/2 BC

Available color: BK



- Suitable for CCTV or other low-frequency applications that require video and power signals
- RG-59: 20 AWG solid bare copper or copper clad steel center conductors
- Power cable: 18 AWG 2 Conductor Bare Copper
- 95% shielding to minimize interference
- Siamese type configuration
- 75 Ohm impedance



RG-59 95% COAX SIAMESE + 18/2 OUTDOOR

- **Part No. H59+182JOSPBK3-500 (PE / OUTDOOR)**

RG-59 / CCS + 18/2 BC

Available color: BK

- Suitable for CCTV or other low-frequency applications that requires video and power signal
- PE jacket / UV Rated / Direct burial
- RG-59: 20 AWG solid bare copper or copper clad steel center conductors
- Power cable: 18/2 AWG bare copper
- 95% heavily shielded to minimize interferences





NON ETL

- **Part No. H59+182NVMXX3-500 (RISER)**

RG-59 / BC + 18/2 CCA

Available colors: BK, WH

- Suitable for CCTV or other low-frequency applications that requires video and power signal
- RG-59: 20 AWG solid bare copper or copper clad steel center conductors
- Power cable: 18/2 AWG bare copper
- 95% heavily shielded to minimize interferences
- Siamese type configuration



LUTRON® CABLES

LUTRON® AUTOMATION CABLES

- **Part No. LUTRON-QS/M/500** (Quantum® "QS" Systems)
22AWG 2Conductor shielded w/ drain Wire + 16AWG 2Conductor
Available colors: Blue with Orange Stripe

- **Part No. LUTRON-QS/M/1000** (Quantum® "QS" Systems)
22AWG 2Conductor shielded w/ drain Wire + 16AWG 2Conductor
Available colors: Blue with Orange Stripe

- **Part No. LUTRON-46/QSL/1000** (GRAFIK Eye®)
22AWG 2Conductor shielded w/ drain Wire + 12AWG 2Conductor + 18AWG 1Conductor
Available colors: Blue with White Stripe


- **Part No. LUTRON-WHITE** (HomeWorks® (Dimmer & Switch))
18AWG 4Conductor STR shielded w/ drain Wire
Available colors: Blue with White Stripe

- **Part No. LUTRON-GREEN** (Universal Keypad Control)
22AWG 2Conductor shielded w/ drain Wire + 18AWG 2Conductor.
Available colors: Blue with Green Stripe


*Please refer to manufacturers' product specification or product cross reference guide for applications, distance maximums and other limitations on our website.

* LUTRON® and "Quantum®", "GRAFIK®", "HomeWorks®" are trademarks of Lutron Electronics Co., Inc.



- High-Grade lighting control system cables
- Power limited control circuits
- Commercial, residential and industrial lighting and home automation applications
- Light dimmers, touch panels, environmental sensors, smart home light control
- Suitable for indoor applications





LUTRON-QS/M/500 & 1000




LUTRON-46/QSL/1000



LUTRON-WHITE



LUTRON-GREEN



FIRE ALARM CABLES

FIRE ALARM FPLR SHIELDED AND UNSHIELDED

14AWG 2/4 CONDUCTORS

- **Part No. FC1402SRD2 (RISER, SHIELDED)**
Available color: RD
- **Part No. FC1402URD2 (RISER, UNSHIELDED)**
Available color: RD
- **Part No. FC1404SRD2 (RISER, SHIELDED)**
Available color: RD

16AWG 2/4 CONDUCTORS



- **Part No. FC1602SRD2 (RISER, SHIELDED)**
Available color: RD
- **Part No. FC1602URD2 (RISER, UNSHIELDED)**
Available color: RD
- **Part No. FC1604SRD2 (RISER, SHIELDED)**
Available color: RD
- **Part No. FC1604URD2 (RISER, UNSHIELDED)**
Available color: RD

18AWG 2/4 CONDUCTORS


- **Part No. FC1802SRD2 (RISER, SHIELDED)**
Available color: RD
- **Part No. FC1802URD2 (RISER, UNSHIELDED)**
Available color: RD
- **Part No. FC1804SRD2 (RISER, SHIELDED)**
Available color: RD
- **Part No. FC1804URD2 (RISER, UNSHIELDED)**
Available color: RD



1402 UNSHIELDED



1604 SHIELDED



- FPLR (Power-Limited Fire Alarm Riser Cable)
- Red color jacket (standard) – Identified as universal fire alarm cable
- Suitable for smoke detectors, burglar alarms, and addressable fire alarm systems

- 14 / 16 / 18AWG with 2/4 conductors
- Shielded / Unshielded (Riser rated)
- Sequential footage marking


THERMOSTAT CABLES

THERMOSTAT

18AWG 2/3/4/5/6/8 CONDUCTORS


- Part No. TW1802URBR2-500 (RISER, UNSHIELDED, Available color: BR)
- Part No. TW1803URBR2-500 (RISER, UNSHIELDED, Available color: BR)
- Part No. TW1804URBR2-500 (RISER, UNSHIELDED, Available color: BR)
- Part No. TW1805URBR2-500 (RISER, UNSHIELDED, Available color: BR)
- Part No. TW1806URBR2-500 (RISER, UNSHIELDED, Available color: BR)
- Part No. TW1808URBR2-250 (RISER, UNSHIELDED, Available color: BR)

- Solid copper conductors insulated with color coded PVC
- Used in thermostat control application
- Sun resistant
- CL2R



20AWG 2/5/6/8 CONDUCTORS

- Part No. TW2002URBR2-500 (RISER, UNSHIELDED, Available color: BR)
- Part No. TW2005URBR2-500 (RISER, UNSHIELDED, Available color: BR)
- Part No. TW2005URBR2-250 (RISER, UNSHIELDED, Available color: BR)
- Part No. TW2006URBR2-250 (RISER, UNSHIELDED, Available color: BR)
- Part No. TW2008URBR2-250 (RISER, UNSHIELDED, Available color: BR)




LANDSCAPE CABLES

LANDSCAPE

- Part No. LSC1002RBK2-500 (PVC)
Available color: BK
- Part No. LSC1202RBK2-500 (PVC)
Available color: BK

- Soft annealed copper
- Stranded copper conductors
- Conductors laid flat and parallel
- Polarity identified by surface ridges (zip cord type)
- Direct burial rated for underground applications



PACKAGING INFORMATION

PULL BOX



- REELEX II design with reinforced handles
- Durable design to withstands shipping and handling
- Glossy cardboard with enhanced water resistance
- Installation instructions with project information table

REEL



- Standard wooden reel construction
- Mountable on racks or stands for smooth cable pulling
- Easy to pull for projects that require multiple cable runs
- Descending length markings for precise measurement

REEL-IN-BOX



- Free-spinning reel enables smooth dispensing
- Removable reel for easy mounting on stand/caddy
- Glossy cardboard with enhanced water resistance
- Installation instructions with project information table

COIL



- Professionally coiled and secured in clear plastic wrap
- Lightweight for easy storage and transport
- Compact and cost-effective
- Convenient and easy to handle for quick installations