


WAVENET NETWORK SOLUTIONS LINE CARD

ONE MANUFACTURER. MANY SOLUTIONS.

LADDER RACK CABLE RUNWAY SYSTEM

Selection Guide for Cable Runway, Cabinets, Cable Management, Racks, Brackets and Accessory Solutions



NO.	DESCRIPTION	PART#
01	5' LADDER RACK RUNWAY W/ BUTT-SPLICE KIT	WL-5SS2PC-KIT
02	BUTT-SPLICE KIT	WL-BSKTPR-BK
03	RADIUS HORIZONTAL BEND LADDER	WL-FT9012-BK
04	UNIVERSAL RADIUS BEND LADDER	WL-IR9012-BK
05	LADDER RACK END CAP	WL-LRA2EC-BK
06	RETAINING POST KIT	WL-LRA06RPK-BK
07	J-BOLT KIT (5/16")	WL-LRA300JK
08	GROUNDING STRAP WITH HARDWARE	WL-LRAGK
09	CABLE RUNWAY 10 FOOT	WL-LR1210-BK
10	FLOOR MOUNT BRACKET	WL-RA2FA-BK
11	T-JUNCTION BRACKET KIT	WL-RA2JT-BK
12	L BRACKET - CABLE RUNWAY	WL-RA5LB-BK
13	LADDER TERMINATION KIT	WL-RA12TK-BK
14	STAND-OFF ELEVATION KIT 4"- 6"	WL-RA46SK-BK
15	RACK TO RUNWAY PLATE	WL-RA123RP-BK
16	CABLE RADIUS DROP	WL-RASD-BK1
17	BUTT SPLICE KIT - SWIVEL/ADJUSTABLE	WL-RASSK-BK
18	CEILING MOUNT KIT 5/8"	WL-RATRCK-BK
19	WALL ANGLE SUPPORT BRACKET	WL-WASB12-BK
20	TRIANGLE WALL SUPPORT	WL-WSB12-BK
21	5' LADDER RACK RUNWAY BRACKET KIT	WL-R1205-KIT
22	VERTICAL WALL BRACKET	WL-LRAVWB

WAVENET RACK & CABINET SOLUTIONS FOR MDF-TO-IDF INSTALLATIONS



**CALIFORNIA
CORPORATE
WAREHOUSE**
Carson

**TEXAS
WAREHOUSE**
The Colony

**NEW JERSEY
WAREHOUSE**
Ridgefield

**CANADA
WAREHOUSE**
Toronto / Vancouver




CONTACT US FOR MORE DETAILS TOLL FREE. 888.492.8363

WORK AREA OUTLETS

CAT6A KEYSTONE JACKS - HDJ SERIES [SINGLE PACK]

WH
BL



- Part No. HD-6AKSJXX
- Part No. HD-6AKSJ-FTP (SHIELDED/FTP)
- 110-TYPE, 8P8C, RJ-45, T568A/B WIRING
- 180-Degree configuration for fast punch down
- Component-Rated performance

CAT6A KEYSTONE JACKS - HDJ SERIES [25-PACK]


WH
BL
YL
BK



- Part No. HD-6AKSJXX-25PK
- 110-TYPE, 8P8C, RJ-45, T568A/B WIRING
- 180-Degree configuration for fast punch down
- Component-Rated performance

CAT6A KEYSTONE JACKS - SDJ SERIES [SINGLE PACK]

WH
BL



- Part No. 6AKSJXX
- 110-TYPE, 8P8C, RJ-45, T568A/B WIRING
- 90-Degree configuration for fast punch down
- Component-Rated performance

CAT6A KEYSTONE JACKS - SDJ SERIES [25-PACK]


WH
BL
YL
BK



- Part No. 6AKSJXX-25PK
- 110-TYPE, 8P8C, RJ-45, T568A/B WIRING
- 90-Degree configuration for fast punch down
- Component-Rated performance

CAT6 KEYSTONE JACKS - HDJ SERIES [SINGLE PACK]

WH RD
BL OR
IV YL
GN BK
LA



- Part No. HD-6EKSJXX
- 110-TYPE, 8P8C, RJ-45, T568A/B WIRING
- 180-Degree configuration for fast punch down
- Component-Rated performance

CAT6 KEYSTONE JACKS - HDJ SERIES [25-PACK / 50-PACK]


WH YL
BL BK



- Part No. HD-6EKSJXX-25PK
- Part No. HD-6EKSJXX-50PK (WH / BL)
- 110-TYPE, 8P8C, RJ-45, T568A/B WIRING
- 180-Degree configuration for fast punch down
- Component-Rated performance

CAT6 KEYSTONE JACKS - SDJ SERIES [SINGLE PACK]

WH RD
BL OR
IV YL
GN BK
LA PR



- Part No. 6EKSJXX
- 110-TYPE, 8P8C, RJ-45, T568A/B WIRING
- 90-Degree configuration for fast punch down
- Component-Rated performance

CAT6 KEYSTONE JACKS - SDJ SERIES [25-PACK / 50-PACK]


WH YL
BL BK



- Part No. 6EKSJXX-25PK
- Part No. 6EKSJXX-50PK (WH / BL)
- 110-TYPE, 8P8C, RJ-45, T568A/B WIRING
- 90-Degree configuration for fast punch down
- Component-Rated performance

CAT5E KEYSTONE JACKS - HDJ SERIES [SINGLE PACK]

WH RD
BL OR
IV YL
GN BK
LA



- Part No. HD-5EKSJXX
- 110-TYPE, 8P8C, RJ-45, T568A/B WIRING
- 180-Degree configuration for fast punch down
- Component-Rated performance

CAT5E KEYSTONE JACKS - HDJ SERIES [25-PACK]


WH
BL
YL
BK



- Part No. HD-5EKSJXX-25PK
- 110-TYPE, 8P8C, RJ-45, T568A/B WIRING
- 180-Degree configuration for fast punch down
- Component-Rated performance

CAT5E KEYSTONE JACKS - SDJ SERIES [SINGLE PACK]

WH RD
BL OR
IV YL
GN BK
LA



- Part No. 5EKSJXX
- 110-TYPE, 8P8C, RJ-45, T568A/B WIRING
- 90-Degree configuration for fast punch down
- Component-Rated performance

CAT5E KEYSTONE JACKS - SDJ SERIES [25-PACK]

WH
BL
YL
BK



- Part No. 5EKSJXX-25PK
- 110-TYPE, 8P8C, RJ-45, T568A/B WIRING
- 90-Degree configuration for fast punch down
- Component-Rated performance

CAT3 KEYSTONE JACKS - SDJ SERIES [SINGLE PACK]

WH
IV
LA



- Part No. 3EKSJXX
- 110-TYPE, 6P6C, RJ-11/RJ-12, USOC/UTP
- 90-Degree configuration for fast punch down
- Designed for voice applications

HDMI KEYSTONE STYLE FEEDTHROUGH COUPLERS



- Part No. WHDMI-WH
- HDMI-TO-HDMI keystone style feedthrough
- Accepts standard keystone port openings
- Ideal for coupling multiple HDMI cables

CAT6 KEYSTONE STYLE FEEDTHROUGH COUPLERS [SINGLE PACK]

WH
BK



- Part No. 6KSCXX1
- Snap-In, Keystone style, RJ-45
- Accepts standard keystone port openings
- Component-Rated performance

CAT6 KEYSTONE STYLE FEEDTHROUGH COUPLERS [25-PACK]


WH
BK



- Part No. 6KSCXX25
- Snap-In, Keystone style, RJ-45
- Accepts standard keystone port openings
- Component-Rated performance

SNAP-IN F-TYPE GOLD & NICKEL PLATED 3GHZ F/F KEYSTONE INSERT MODULES [SINGLE PACK]

WH
IV



- Part No. FTK-3GHZGP-XX
- Part No. FTK-3GHZNP-XX
- Snap-in keystone style compatible with faceplates, blank patch panels and surface mount boxes
- 3GHZ gold-plated and nickel plated ideal for CATV, SATV, Antennas and other video applications

SNAP-IN F-TYPE GOLD & NICKEL PLATED 3GHZ F/F KEYSTONE INSERT MODULES [25-PACK]

WH
IV



- Part No. FTK-3GHZGP-XX-25PK
- Part No. FTK-3GHZNP-XX-25PK
- Snap-in keystone style compatible with faceplates, blank patch panels and surface mount boxes
- 3GHZ gold-plated and nickel plated ideal for CATV, SATV, Antennas and other video applications

GOLD-PLATED SPEAKERS BINDING POST MODULES

WH
IV



- Part No. KSBP-BRPAIR-XX
- Ideal for banana plugs, speaker tips, spade tips or bare wire
- Compatible with faceplates, blank patch panels and SMBs
- Packaged in pair red & black color code

BNC 75 Ohm KEYSTONE STYLE MODULES

WH
IV



- Part No. KSJBNC75-XX
- Compatible with faceplates, blank patch panels and SMBs
- Female-female BNC feedthrough connector
- 75 Ohm impedance, nickel-plated finish


WORK AREA OUTLETS

FLUSH MOUNTING STYLE WITHOUT ID WINDOWS FACEPLATES

WH
IV
LA

- Part No. FP01PXX
- Part No. FP02PXX
- Part No. FP03PXX
- Part No. FP04PXX
- Part No. FP06PXX
- Part No. FP01PXX-25PK
- Part No. FP02PXX-25PK
- Part No. FP03PXX-25PK
- Part No. FP04PXX-25PK
- Part No. FP06PXX-25PK

- Part No. FP00PXX
- Part No. FP00DGXX
- Part No. FP00BXX
- Single & double gang
- Flush mount design for professional aesthetic look
- Matte finish with rugged and durable construction




FLUSH MOUNTING STYLE OVERSIZED FACEPLATES

WH
IV

- Part No. OSWP01XX
- Part No. OSWP02XX
- Part No. OSWP03XX
- Part No. OSWP04XX
- Part No. OSWP06XX

- 1-6 Port with color-matched screws
- Offers greater coverage to hide wall irregularities
- Flush mount design for professional aesthetic look
- Glossy finish with rugged and durable construction
- Fits standard rectangular NEMA openings



STANDARD SIZE OVERSIZED

RECESSED TELEPHONE WALLPLATES PLASTIC & STAINLESS STEEL

WH
SS

- Part No. WPP01WH
- Part No. WPP01SS

- Designed to wall mount telephone on wall
- Compatible with universal modular keystone jacks
- Rivet feature support variety of wall mount telephones



FLUSH MOUNTING STYLE WITH ID WINDOWS FACEPLATES

WH
IV

- Part No. FPW1PXX
- Part No. FPW2PXX
- Part No. FPW3PXX
- Part No. FPW4PXX
- Part No. FPW6PXX
- Part No. FPW1PXX-25PK
- Part No. FPW2PXX-25PK
- Part No. FPW3PXX-25PK
- Part No. FPW4PXX-25PK
- Part No. FPW6PXX-25PK

- ID windows with enclosed labels and clear plastic covers
- 1-6 Ports with color-matched screws
- Single-gang accepts standard metal or plastic outlet boxes
- Matte finish with rugged and durable construction
- Fits standard rectangular NEMA openings



FLUSH MOUNTING STYLE INTEGRATED FACEPLATE CAT6 DATA & F-TYPE PORTS

WH

- Part No. 1CAT61F-WH

- 1-Port CAT6 & 1-Port 3GHZ F-TYPE faceplate
- UL Listed & Compliant with ANSI/TIA-568-C.2
- 110-IDC punch down style for performance and reliability



FLUSH MOUNTING STYLE STAINLESS STEEL FACEPLATES

SS

- Part No. SSFP-01P
- Part No. SSFP-02P
- Part No. SSFP-03P
- Part No. SSFP-04P
- Part No. SSFP-06P
- Part No. SSFP-06P-D
- Part No. SSFP-012P-D

- Brushed stainless steel finish to provide corrosion resistant
- Suitable for durability and sanitary environment requirements
- Ideal for residential and commercial applications
- Flush mounting style for seamless aesthetic look



DOUBLE-GANG

SURFACE MOUNTING BOXES

WH
IV

- Part No. SMB-1XX
- Part No. SMB-2XX
- Part No. SMB-4XX
- Part No. SMB-6XX

- 1/2/4/6-Port, Unloaded, Configurable
- Suitable for surface mounting applications
- Compatible with modular keystone connectors
- Includes two self-tapping screws & double-sided adhesive tape




DECORA STYLE MULTIMEDIA INSERTS AND WALLPLATES

WH
IV

- Part No. DWIN-1P-XX
- Part No. DWIN-2P-XX
- Part No. DWIN-3P-XX
- Part No. DWIN-4P-XX
- Part No. DWIN-6P-XX
- Part No. DWIN-BR-WH
- Part No. DWPB1-XX
- Part No. DWP1G-XX
- Part No. DWP2G-XX

- Supports keystone Inserts, with many combination capabilities
- Fits Decora style single-gang and double-gang faceplates
- Contemporary style ideal for residential or commercial installations
- Glossy finish with rugged and durable construction



PATCH CORDS

CAT6A/6/5E PATCH CORDS

WH RD
GY OR
BL YL
GN BK
PR PK

- Part No. 6A04UMXX-PC-XX
- Part No. 6E04UMXX-PC-XX
- Part No. 5E04UMXX-PC-XX

- 100% Copper Wire, EIA/TIA TSB-40A ETL verified, CM-Rated
- CAT6A / CAT6 : LENGTH(XX) 6 inch and rest in feet 1,2,3,5,7,10,14,15,20,25,30,35 in blue only, 50,75,100
- CAT5E : LENGTH(XX) 6 inch and rest in feet 1,2,3,5,7,10,14,15,25,35,50,75,100



CAT6A/6 SLIM PATCH CORDS 28AWG UTP 10FT



- Part No. 6A04UMLIMXX-PC-XX
- Part No. 6E04UMLIMXX-PC-XX

FIBER OPTIC SYSTEM


FIBER OPTIC RACK MOUNT ENCLOSURE



• Part No. FRM3M1U

• 3-Panel, 1U, 19" X 8.50", w/ Two Splice Trays & Cable Slack Spools

WALL MOUNT FIBER ENCLOSURE



• Part No. WMFO-4P

• 4-Panel, 2pcs./ splice small trays



FIBER OPTIC ADAPTER PANELS

- Part No. FM12LCOM3 • 12-Port, Duplex, LC, MM, OM3
- Part No. FM24LCOM3 • 24-Port, Quad, LC, MM, OM3
- Part No. FM6SCOM3 • 6-Port, Simplex, SC, MM, OM3
- Part No. FM12SCOM3 • 12-Port, Duplex, SC, MM, OM3
- Part No. FM6ST • 6-Port, Simplex, ST, MM, OM2
- Part No. FM12LCOS2 • 12-Port, Duplex, LC, SM, OS2

FM12LCOM3



FM24LCOM3

FM6SCOM3



FM12SCOM3


FM6ST



FM12LCOS2

FIBER OPTIC KEYSTONE STYLE COUPLERS

- Part No. FOKSALCWH • LC Duplex, Zirconia Ceramic Sleeve • OM3, MM, Aqua, LC Adapter
- Part No. FOKSBLCWH • LC Duplex, Zirconia Ceramic Sleeve • OS2, SM, Blue, LC Adapter
- Part No. FOKSBSCWH • SC Simplex, Zirconia Ceramic Sleeve • SM, MM, Aqua, SC Adapter w/ Shutter



FOKSALCWH




FOKSBLCWH



FOKSBSCWH

FIBER OPTIC BLANK PLATE



• Part No. FMBP

• Blank Plate, Black

PATCH PANELS

CAT6A 110-TYPE PATCH PANELS




24-PORT

- Part No. 6APP24
- Part No. 6APP48

- PoE Type 4 compliance for applications up to 100W
- Meet and exceeds ANSI/TIA-568.2-D, UL Listed
- Foldable cable management bar included w/ each panel

CAT6 110-TYPE PATCH PANELS




24-PORT

12-PORT

- Part No. 6EPP12V
- Part No. 6EPP24
- Part No. 6EPP48

- 12-Port, T568A/B wiring, Wall mountable w/ 89D bracket
- 1U/24-port, 2U/48-port, 110-TYPE, T568A/B wiring
- Meet and exceeds ANSI/TIA-568-C, UL listed

CAT5E 110-TYPE PATCH PANELS




24-PORT

12-PORT

- Part No. 5EPP12V
- Part No. 5EPP24
- Part No. 5EPP48

- 12-Port, T568A/B wiring, Wall mountable w/ 89D bracket
- 1U/24-port, 2U/48-port, 110-TYPE, T568A/B wiring
- Meet and exceeds ANSI/TIA-568-C, UL listed

BLANK PATCH PANEL



24-PORT

48-PORT

- Part No. BPPWM-12
- Part No. BPPWM-24
- Part No. BPPWM-48

- 1U, 24-Port, w/ labeling areas, Compatible with keystone style connectors
- 2U, 48-Port, w/ labeling areas, Compatible with keystone style connectors

ANGLED BLANK PATCH PANELS



24-PORT

48-PORT

- Part No. ABP1U-24P
- Part No. ABP1U-48P

- Angled design saves rack space by routing patch cords directly into vertical cable managers
- Accommodates [1U/24-port, 1U/48-port] keystone style snap-in modular connectors
- Include rear cable management bar for proper cable support


FRONT LOADING BLANK PATCH PANEL



• Part No. FLBPPWM

- Uses a 6-port module design
- Front access design for easy module insertion and removal
- Mounts on standard 19-inch equipment racks

CAT6A/6/5E SHIELDED FTP PATCH PANELS




• Part No. BPPWM-24 (24) HD-6AKSJ-FTP


• Part No. BPPWM-48 (48) HD-6AKSJ-FTP

CABINETS & RACKS

6U / 9U / 12U / 15U / 18U WALL MOUNT CABINETS



9U




PART NUMBER	W x H x D	USABLE DEPTH / LOAD CAPACITY
CBTF-WM6U	23.6" x 14.6" x 23.6"	18.0" / 85 LBS.
CBTF-WM9U	23.6" x 19.8" x 23.6"	18.0" / 90 LBS.
CBTF-WM12U	23.6" x 25.0" x 23.6"	18.0" / 105LBS.
CBTF-WM15U	23.6" x 30.3" x 23.6"	18.0" / 120 LBS.
CBTF-WM18U	23.6" x 35.6" x 23.6"	18.0" / 135 LBS.

27U / 42U STANDING SERVER CABINETS



42U



PART NUMBER	W x H x D	USABLE DEPTH / LOAD CAPACITY
CBTF-FL27U-32	25.2" x 55.3" x 33.1"	27.0" / 1750 LBS.
CBTF-FL42U-32	25.2" x 81.6" x 33.1"	27.0" / 1750 LBS.
CBTF-FL27U-40	25.2" x 55.3" x 40.9"	35.0" / 1750 LBS.
CBTF-FL42U-40	25.2" x 81.6" x 40.9"	35.0" / 1750 LBS.

8U / 15U / 30U OPEN FRAME WALL RACKS



30U

PART NUMBER	LOAD CAPACITY
WMR-8U	110 LBS.
WMR-15U	130 LBS.
WMR-30U	150 LBS.

2-POST & 4-POST OPEN FRAME FLOOR RACKS



4-POST

2-POST

PART NUMBER	LOAD CAPACITY
2POST-45U	1000 LBS.
4POST-45U	1500 LBS.

***LADDER RACK CABLE RUNWAY SYSTEM : DETAILED DESCRIPTION AND IMAGES ON THE FIRST PAGE.**

SHELVES & CABLE MANAGEMENT

VERTICAL FINGER DUCT SINGLE-SIDED & DOUBLE-SIDED CABLE MANAGERS




SINGLE-SIDED / 6" depth



DOUBLE-SIDED / 12" depth


- Part No. VCMC-4678S
- Part No. VCMC-41278D
- Single sided - 4" X 6" 78", w/ hinged covers
- Double sided - 4" X 12" 78", w/ hinged covers
- Large front and rear openings
- Dual hinged covers

10" RACK SHELF VENTED



- Part No. SHELF-10SSV
- 10" deep single-sided vented, 2U
- 16 gauge steel construction
- 50 lbs weight capacity

15" RACK SHELF VENTED



- Part No. SHELF-15SSV
- Part No. SHELF-14SV-1U (14" depth, 1U)
- 15" deep single-sided vented, 3U
- 16 gauge steel construction
- 75 lbs weight capacity

25" RACK SHELF VENTED



- Part No. SHELF-25DDV
- 25" deep single-sided vented, 2U
- 16 gauge steel construction
- 100 lbs weight capacity

10" RACK SHELF SOLID



- Part No. SHELF-10SSS
- 10" deep single-sided solid, 2U
- 16 gauge steel construction
- 50 lbs weight capacity

15" RACK SHELF SOLID



- Part No. SHELF-15SSS
- Part No. SHELF-14SS-1U (14" depth, 1U)
- 15" deep single-sided solid, 3U
- 16 gauge steel construction
- 75 lbs weight capacity

25" RACK SHELF SOLID



- Part No. SHELF-25DDS
- 25" deep single-sided solid, 2U
- 16 gauge steel construction
- 110 lbs weight capacity

VERTICAL METAL SINGLE-SIDED & DOUBLE-SIDED CABLE MANAGERS



SINGLE-SIDED / 3" depth



DOUBLE-SIDED / 6" depth


- Part No. VCNB-3X3X74S
- Part No. VCNB-3X3X74D
- Easy removable hinged cover(s) provides quick access to cable
- Attached vertically onto front or rear rails 2-Post and 4-Post open frame racks
- Available in single-sided and double-sided and measures 3.6" X 3" / 6" X 74"
- Integrated plastic cable rings for proper cable management

10" DEEP SINGLE-SIDED VENTED (2-PACK)




- Part No. SHELF-10SSV-S2PK
- 10" deep single-sided vented, 2U, 2-PACK
- 16 gauge steel construction
- 50 lbs weight capacity

15" DEEP SINGLE-SIDED VENTED (2-PACK)



- Part No. SHELF-15SSV-S2PK
- 15" deep single-sided vented, 3U, 2-PACK
- 16 gauge steel construction
- 75 lbs weight capacity

25" DEEP SINGLE-SIDED VENTED (2-PACK)




- Part No. SHELF-25DDV-S2PK
- 25" deep single-sided vented, 2U, 2-PACK
- 16 gauge steel construction
- 100 lbs weight capacity

10" DEEP SINGLE-SIDED SOLID (2-PACK)




- Part No. SHELF-10SSS-S2PK
- 10" deep single-sided solid, 2U, 2-PACK
- 16 gauge steel construction
- 50 lbs weight capacity

15" DEEP SINGLE-SIDED SOLID (2-PACK)



- Part No. SHELF-15SSS-S2PK
- 15" deep single-sided solid, 3U, 2-PACK
- 16 gauge steel construction
- 75 lbs weight capacity

25" DEEP SINGLE-SIDED SOLID (2-PACK)



- Part No. SHELF-25DDS-S2PK
- 25" deep single-sided solid, 2U, 2-PACK
- 16 gauge steel construction
- 110 lbs weight capacity

SHELVES & CABLE MANAGEMENT


HIGH-DENSITY SINGLE-SIDED HORIZONTAL CABLE MANAGERS



- Part No. MDH-1U
- Part No. MDH-2U
- Part No. MDH-3U

- Large slotted fingers design for high volume patch cords
- Cover comes with (4) hinges can be opened from top or bottom
- Rear openings for cable pass-through
- Measures 19" standard EIA width with 4.5" deep

WALL MOUNT SHELF



- Part No. WMS-18

- Fully welded and made from 16-gauge steel
- Shelf bottom includes (3) 1" knockout
- Can be used with various equipment within 18" deep by 22" wide
- 140 weight capacity
- Measures: 15.3" H x 22" W x 18.2" Depth

VERTICAL & HORIZONTAL 4U WALL MOUNT BRACKET



HORIZONTAL




VERTICAL

- Part No. VWMB-4U

- 4U, 19" wide, Vertical & horizontal wall mount bracket
- Up to 150 lbs. load capacity
- Includes mounting hardware

19" WIDE BLANK PANELS (5-PACK)



- Part No. BP-1U-5N
- Part No. BP-2U-5N
- Part No. BP-3U-5N
- Part No. BP-4U-5N

- 19" wide blank racks, cabinets & brackets panels
- Conceals Rack Mount Spaces (RMS) in racks, cabinets and brackets
- Improves aesthetic and appearance
- Available in 1U, 2U, 3U & 4U

REAR CABLE MANAGEMENT SUPPORT BARS (5-PACK)



- Part No. RCMSB5PK

- 19" wide
- 5" depth rear cable management support bar


CABLE MANAGEMENT DISTRIBUTION D-RINGS (50-PACK)



- Part No. DR200
- Part No. DR300
- Part No. DR500

- Metal distribution D-ring
- Organizing cables in various angles
- Indoor/outdoor applications
- Available in 2", 3" and 5" diameters

WALL MOUNT STYLE (25-PACK)



- Part No. JHWM34-C 3/4"
- Part No. JHWM13-C 1 5/16"
- Part No. JHWM02-C 2"
- Part No. JHWM04-C 4"

- Supports low-voltage cables
- Wall mount applications

MULTI-FUNCTION "BATWING" STYLE (25-PACK)



- Part No. JHMF34-C 3/4"
- Part No. JHMF13-C 1 5/16"
- Part No. JHMF02-C 2"
- Part No. JHMF04-C 4"

- Supports low-voltage cables
- Attaches to threaded rod or drop wire

FINGER DUCT PLASTIC HORIZONTAL CABLE MANAGERS



SINGLE-SIDED 1U



DOUBLE-SIDED 1U



SINGLE-SIDED 2U



DOUBLE-SIDED 2U

- Part No. PDH-SS-1U
- Part No. PDH-SS-2U
- Part No. PDH-DS-1U
- Part No. PDH-DS-2U

- Single-sided, w/ cover, 1U/2U
- Large front finger openings
- Slide-on covers

HORIZONTAL SINGLE SIDED METAL CABLE MANAGERS



- Part No. HCM1901-4
- Part No. HCM1902-4



- Single-sided, 1U / 2U
- 4 / 5 horizontal rings for patch cords management
- Used with cabinets, brackets and racks
- Secure all types of low-voltage cables
- Large rings ideal for small to large cable bundles

WALL MOUNT HINGED BRACKETS



- Part No. WMHB-1U
- Part No. WMHB-2U
- Part No. WMHB-3U
- Part No. WMHB-4U

- 19" wide, 6" depth, Single-sided hinged
- Integrates with cable ties points
- Ideal for space restrictions area

BEAM CLAMP [100-PACK]



- Part No. BCSS

- Installation on beam flanges
- Hooks bridle rings & J-hooks
- Indoor/outdoor applications

BRIDLE RINGS [100-PACK]



- Part No. BR100
- Part No. BR150

- Bridle ring w/thread, 1" Diameter, #10-24 metal screw
- Bridle ring w/thread, 1 1/2" Diameter, 1/4" metal screw

CEILING MOUNT STYLE (25-PACK)



- Part No. JHCM34-C 3/4"
- Part No. JHCM13-C 1 5/16"
- Part No. JHCM02-C 2"
- Part No. JHCM04-C 4"

- Supports low-voltage cables
- Designed for ceiling mount or flat surface applications

HAMMER-ON STYLE (25-PACK)



- Part No. JHOM02-C

- CBM, 2", Fits 1/8" TO 1/4" Beam, W/Retainer Clip

- Part No. JHOM-CLIP

- Bottom Mount, Fits 1/8" TO 1/4" Flange Thickness

RESIDENTIAL STRUCTURED WIRING ENCLOSURES

14" ENCLOSURE WITH HINGED DOOR (METAL)



• Part No. WHWS1403

- 14" Enclosure with hinged door and screw-on option
- Wood studs or surface mountable
- Dimensions: 14" H x 14.25" W x 3.66" D
- UL Listed

18" ENCLOSURE WITH HINGED DOOR (METAL)



• Part No. WHWS1803

- 18" Enclosure with hinged door and screw-on option
- Wood studs or surface mountable
- Dimensions: 18" H x 14.25" W x 3.66" D
- UL Listed

28" ENCLOSURE WITH HINGED DOOR (METAL)



• Part No. WHWS2803

- 28" Enclosure with hinged door and screw-on option
- Wood studs or surface mountable
- Dimensions: 28" H x 14.25" W x 3.66" D
- UL Listed

42" ENCLOSURE WITH HINGED DOOR (METAL)



• Part No. WHWS4203

- 42" Enclosure with hinged door and screw-on option
- Wood studs or surface mountable
- Dimensions: 42" H x 14.25" W x 3.66" D
- UL Listed

14" ENCLOSURE KIT WITH HINGED DOOR (METAL)



• Part No. WHWS1402K

- INCL 8-Port, CAT6 data, 8 Port voice & 6-Port 2GHz video splitter modules
- Mounts between wood studs or surface mountable
- UL Listed

18" ENCLOSURE KIT WITH HINGED DOOR (METAL)



• Part No. WHWS1802K

- INCL 8-Port, CAT6 data, 8 Port voice & 6-Port 2GHz video splitter modules
- Mounts between wood studs or surface mountable
- UL Listed

28" ENCLOSURE KIT WITH HINGED DOOR (METAL)



• Part No. WHWS2802K

- INCL 8-Port, CAT6 data, 8 Port voice & 6-Port 2GHz video splitter modules
- Mounts between wood studs or surface mountable
- UL Listed

VOICE/DATA/VIDEO MODULE KIT



• Part No. VDVM-8D8P6V

- (1) 8-Ports CAT6 Data, (1) 8-Ports Phone with RJ31X & (1) 6-Ports 2GHz splitter
- UL Listed and compliant with ANSI/TIA-568 standards for residential use


2GHz 8-PORT PASSIVE VIDEO SPLITTER with METAL BRACKET



• Part No. WHVS10081

- 2GHz, 1 Input x 8 Output
- Fits Wavenet's structured wiring enclosures


(PLASTIC) 15" ENCLOSURE WITH TRIM RING HINGED DOOR



- Part No. WHWS15AEP (SINGLE PACK)
- Part No. WHWS15-HD6PK (6-PACK, W/HINGED DOOR)
- Part No. WHWS15-EN6PK (6-PACK)

- Wi-Fi friendly and eliminates interferences
- Dimensions: 15" H x 14.42" W x 3.42" D
- UL Listed

(PLASTIC) 30" ENCLOSURE WITH TRIM RING HINGED DOOR



- Part No. WHWS30AEP (SINGLE PACK)
- Part No. WHWS30-HD6PK (6-PACK, W/HINGED DOOR)
- Part No. WHWS30-EN6PK (6-PACK)

- Wi-Fi friendly and eliminates interferences
- Dimensions: 30" H x 14.42" W x 3.42" D
- UL Listed

8-PORT CAT6 110-TYPE IDC DATA MODULE With PLASTIC PLATE



• Part No. WHPP100805

- Supports up to 8 data connections
- Fits Wavenet's structured wiring enclosures

8-PORT 110-TYPE IDC VOICE MODULE With RJ-31X, PLASTIC PLATE



• Part No. WHBG100806

- Supports up to 8 voice connections w/RJ31X
- Fits Wavenet's structured wiring enclosures

2GHz 6-PORT PASSIVE VIDEO SPLITTER with METAL BRACKET



• Part No. WHVS1006

- 2GHz, 1 Input x 6 Output
- Fits Wavenet's structured wiring enclosures

8-PORT BLANK PANEL



• Part No. WPK10080

- Multiple media applications
- Configurable with keystone modular connectors
- Fits Wavenet's structured wiring enclosures

TOOLS & ACCESSORIES

RJ45-EZPASS® CAT5E/6 UTP MODULAR PLUGS [100-PACK]



- Part No. CAT5ERJ45-EZPASS
- Part No. CAT6RJ45-EZPASS

- For use with 23-26 AWG CAT5E/6 Unshielded UTP solid and stranded cables
- High-Performance 3 Prongs Brass 8P8C and 50um gold-plated contacts
- Conductors trimmed to the correct length by the tool - no measuring

RJ-45 CAT5E/6 MODULAR PLUGS [100-PACK]



- Part No. RJ45-CAT5UTP-100PK
- Part No. RJ45-CAT6UTP-100PK

- 100-PACK, No loading bar
- Accepts 24-23 AWG solid or stranded UTP cables


RG-6 COMPRESSION F-TYPE [50-PACK]



- Part No. F-RG6U-50PK

- F-TYPE connectors for RG-6 coaxial cables

RJ-45 CAT5E MODULAR PLUGS



- Part No. RJ45-CAT5UTP50U-100PK

- 100-PACK, CAT5E RJ45 plug w/ loading bar
- 50 micron gold contacts

RJ-45 CAT6 MODULAR PLUGS



- Part No. RJ45-CAT6UTP50U-100PK

- 50 micron gold contacts
- 100-PACK, CAT6 RJ45 plug w/ loading bar
- Staggered closing reduces NEXT

RJ-45 CAT6 SHIELDED MODULAR PLUG



- Part No. RJ45-CAT6FTP

- RJ-45, CAT6 shielded, Modular plugs
- Loading bar included

RJ-45 CAT6A SHIELDED MODULAR PLUGS [50U, 50-PACK]



- Part No. RJ45-CAT6AFTP-50PK

- RJ-45, CAT6A shielded, Modular plugs
- Loading bar included

JACK4PAIR® KEYSTONE TOOL



- Part No. TOOL-JACK4PAIR

- JACK4PAIR®, 4-Pair termination tool for keystone jacks

JACK4PAIR®, REPLACEMENT CUT MODULE & BASE



- Part No. TOOL-REPBL-J4PR

- Replacement Cut Module & Base for SDJ & HDJ Keystone Jacks for JACK4PAIR®

HANDHELD UNIVERSAL KEYSTONE JACKS TERMINATION AID



- Part No. TOOLKSJ-HLDR

- Universal keystone jacks termination tool

REPLACEMENT BLADE



- Part No. TA110-RB

- Replacement blade for 110 Punch down tool

PUNCH DOWN TOOL



- Part No. TOOLPD-11066

- 110 & 66 punch down tool

MOD PLUG CRIMP TOOL



- Part No. TOOL-CMBST

- 8P, 6P, 4P modular plug crimping tool

UNIVERSAL COMPRESSION TOOL



- Part No. TOOL-COM

- Universal compression tool for F-TYPE, BNC & RCA connectors

4-PAIR PUNCH DOWN TOOL



- Part No. TOOL-PP-J4PR

- 110 Punch Down, 4-Pair tool for patch panels

COMBO STRIPPER TOOL



- Part No. TOOL-CCS

- UTP & Coax combo stripper tool

WIRE CUTTER AND STRIPPER



- Part No. TOOL-WCS

- Wire cutter and stripper tool

RJ45-EZPASS® PASS-THROUGH CRIMPING TOOL



- Part No. TOOL-EZPASS

- RJ45-EZPASS® Crimp Tool, Pass-Through Crimper, Cutter for CAT6 & CAT5E 8P8C Modular plugs

PDU



- Part No. PDU1012M-24

- Outlet Quantity: 2 Front / 10 Rear / 1U
- Maximum Current (amps): 15A
- Single Phase AC W/6.5 FT. power cord